



Official Website

Foshan ShuangOu Ceramics CO.,LTD

Add: ShuangOu Ceramics, Dongcun district, Nanzhuang Avenue,Chancheng District, China

Domestic Business Dept.,Tel: 86-0757-85394100

Overseas Dept., Tel: 86-0757-85393500

Email: info@shuangoutiles.com

Quality Supervision Email: admin@shuangoutiles.com

www.shuangoutiles.com

# SHUANG OU 2022

## MODEN HOTEL POOL GUIDE

双鸥 2022 酒店及民宿泳池指南

## Design

We provide personalized pool tile designs that are completely different from the cookie-cutter pool products on the market.

## Assure


Ten years of swimming pool tile production experience in Shuangou factory provides strong quality assurance for our products.

## Strength

We have direct sales showrooms and large warehouses in Foshan, Fujian and Hangzhou. Welcome to visit and deliver goods nearby.

# ShuangOu Tiles&Mosaic

We believe there is peace in all pompous things,  
and what we can do is to give you a different  
homestay swimming pool



## Product List

Porcelain Carrara Collections	05-12
Cement Gray	13-16
Water Ripple	17-32
Bali Green & Hot Spring Stone	33-40
Dark Verdant Green & Moissanite	41-50
Rough Grain Mosaic	51-62
Moroccan Style	63-72
Kiln Series	73-78





Each shuangou swimming pool will be a unique classic.





## COMPANY PROFILE

Foshan Shuangou Ceramics Co., Ltd. は、陶磁器の製造、販売、輸出を統合する陶磁器企業です。10年の歳月を経て、Shuangou は小さな家族の生産ワークショップからモザイクとプールタイルの生産と販売を専門とするグループ会社に成長しました。私たちの市場は徐々に国内市場から海外市場に拡大しました。現在、ダブルガル製品の影は、全国、さらには全世界に徐々に現れています。Shuangou の団結したチームと忠実な顧客のサポートにより、Shuangou は私たちの努力によってこの世界をより良い場所にすることができると信じています。

Shuangou は世界で最高のプロのプールタイルとセラミックモザイク企業になることを目指しています。私たちは優れたデザイナーチームと協力して、ユニークなプールタイル製品を設計しています。ダブルガル製品で覆われたすべてのプールが最も特別な存在になることを願っています。

With the past ten years experience,ShangOu Ceramics has grown from a small family workshop producing mosaic into a company group with production and marketing of ceramic mosaics. We now offer a complete line of the latest and most fashionable designs of swimming pool tiles and ceramic mosaics.ShuangOu is aiming to be the most professional manufacturer of swimming pool tiles and ceramic mosaics. Nowadays, ShuangOu products are gradually covering more and more places both in China and overseas.

Determining to produce the most unique pool tiles, ShuangOu has been working very hard with best designers globally. We hope every pool adopting ShuangOu's pool tile design will be the most unique existence.

ShuangOu Pool Tiles | A Distinctive Classic






### Porcelain Carrara Collections

Our carrara collections feature the same dramatic gray veins of natural marble. They look stunning and they are produced mosaic shape so there is no extra cutting work or cost.








IK058  
 Chip Size (mm) :48x48  
 Sheet Size(mm) :306x306



With the rapid rise of homestays, competition is becoming more and more fierce. Appearance and supporting services are particularly important. Data shows that homestays with swimming pools are more popular. Today, Shuangou Ceramics will share a pool mosaic tile that is extremely suitable for homestays—Carrara White Mosaic.







Shuangou has cooperated with many designers to bring unique swimming pool brick products to create a different homestay swimming pool for you.



IK058  
 Chip Size (mm) :48x48  
 Sheet Size(mm) :306x306







IK058  
Chip Size (mm) :48x48  
Sheet Size(mm) :306x306

## Carrara Marble Porcelain Mosaic Tile

カララ大理石の磁器モザイクタイル

Made in CHINA



**Precautions for the product**  
●Because of the different batches of the product, the purity of the white color will be slightly different. ●Because of the craftsmanship, the color difference and poor gloss of the tiles will appear, especially in the white construction site. This is a normal phenomenon.  
●製品の色むらや光沢むらがあります。これは正常な現象です。工場を出る前に、品質検査部門が定期的に品質チェックを実施し、全体的な色と色の効果がBefore paking, our quality inspection department will conduct regular quality inspections to ensure the the color and luster effect meet the application standards. ●Do not use acidic or alkaline cleaners for maintenance.

**About application of the products**  
●Please leave a gap width of 3mm for tiling. ●After removing the glue on the surface of the tile, wipe clean the remaining glue on the joints of the tile. ●For detailed construction guidelines, please refer to "Tile Construction Guidelines".  
●工事は3mmの隙間幅をご利用ください。●タイルの表面の接着剤を取り除いた後、タイルの表面に残っている接合部を拭いてきれいにするために接合部の建設に進みます。●詳細な施工ガイドラインについては、「タイル施工ガイドライン」を参照してください。

**Regarding customized products**  
●Support mixed paste and independent design services, welcome to inquire.  
●カスタマイズモデルについて ●混合ペーストと独立したデザインサービスをサポートし、お問い合わせを歓迎します。



97Carrara Marble Mosaic Tile  
97カララ大理石の磁器モザイク



ITEM: IK97901  
SHEET SIZE: 300x300mm  
SURFACE: MATTE

Octagon Carrara Marble Mosaic Tile  
八角形カララ大理石の磁器モザイク




ITEM: YH9051  
SHEET SIZE: 310x310mm  
SURFACE: MATTE

48Carrara Marble Mosaic Tile  
48カララ大理石の磁器モザイク



ITEM: Y48901  
SHEET SIZE: 306x306mm  
SURFACE: MATTE


25Carrara Marble Mosaic Tile  
25カララ大理石の磁器モザイク



ITEM: IK25901  
SHEET SIZE: 302x302mm  
SURFACE: MATTE



ITEM: IK9760M  
SHEET SIZE: 300x300mm  
SURFACE: MATTE




ITEM: YH9055  
SHEET SIZE: 310x310mm  
SURFACE: MATTE



ITEM: IK058  
SHEET SIZE: 306x306mm  
SURFACE: MATTE


97Carrara Marble Mosaic Tile    Octagon Carrara Marble Mosaic Tile    48Carrara Marble Mosaic Tile    25Carrara Marble Mosaic Tile



PRODUCE	97Carrara Marble Mosaic Tile	Octagon Carrara Marble Mosaic Tile	48Carrara Marble Mosaic Tile	25Carrara Marble Mosaic Tile
SHEET SIZE(mm)	300x300	310x310	306x306	302x302
WEIGHT (kg)/BOX	23.5	23	23	19
SHEET/BOX	22	22	22	22
SQUARE/BOX	2	2	2.06	2
CHIP SIZE(mm)	6	6	6	5

● The size is shown as a standard size. Please note that there are dimensional errors depending on the batch, so please pay attention when distributing and cutting the tiles.  
(サイズは標準サイズで表示しておりますが、バッチによっては寸法誤差がありますので、タイルの配布やカットにはご注意ください。)





## Cement Gray

The dazzling city exhausts human eyes while cement gray calms everything down. The Five's cement gray porcelain mosaics bring you back to the original world, to free your eyes and minds.







IK48C03  
Chip Size (mm) :48x48  
Sheet Size(mm) :306x306



The Shuangou cement gray series mosaics are integrated into the swimming pool, bringing unique beauty and creating a different homestay swimming pool.



## Cement Gray Porcelain Mosaic Tile

セメント灰色の磁器モザイクタイル

Made in CHINA



**Precautions for the product**  
●Because of the different batches of the product, the purity of the white color will be slightly different. ●Because of the craftsmanship, the color difference and poor gloss of the tiles will appear, especially in the white construction site. This is a normal phenomenon.  
●製品のパッチが異なるため、白色の純度はわずかに異なります。 ●商品についてのご注意 ●意匠上大きな色むらと色幅があります。 ●製法上白色のタイルは色むら●光沢むらがあります。これは正常な現象です。工場を出る前に、品質検査部門が定期的に品質チェックを実施し、全体的な色と色の効果がBefore paking, our quality inspection department will conduct regular quality inspections to ensure the color and luster effect meet the application standards. ●Do not use acidic or alkaline cleaners for maintenance.

**About application of the products**  
●Please leave a gap width of 3mm for tiling. ●After removing the glue on the surface of the tile, wipe clean the remaining glue on the joints of the tile. ●For detailed construction guidelines, please refer to "Tile Construction Guidelines".  
●工事は3mmの隙間幅をご利用ください。 ●タイルの表面の接着剤を取り除いた後、タイルの表面に残っている接合部を拭いてきれいにするために接合部の建設に進みます。 ●詳細な施工ガイドラインについては、「タイル施工ガイドライン」を参照してください。

**Regarding customized products**  
●Support mixed paste and independent design services, welcome to inquire.  
●混合ペーストと独立したデザインサービスをサポートし、お問い合わせを歓迎します。



### 48 Cement Gray Porcelain Mosaic Tile

セメント灰色の磁器モザイクタイル



ITEM: IK032  
SHEET SIZE: 306x306mm  
SURFACE: MATTE



ITEM: IK040  
SHEET SIZE: 306x306mm  
SURFACE: MATTE



ITEM: IK041  
SHEET SIZE: 306x306mm  
SURFACE: MATTE



ITEM: IK48C05  
SHEET SIZE: 306x306mm  
SURFACE: MATTE



ITEM: IK48C02  
SHEET SIZE: 306x306mm  
SURFACE: MATTE




ITEM: IK48C01  
SHEET SIZE: 306x306mm  
SURFACE: MATTE



ITEM: IK48C03  
SHEET SIZE: 306x306mm  
SURFACE: MATTE

### 48 Cement Gray Porcelain Mosaic Tile



PRODUCE	48 Cement Gray Porcelain Mosaic Tile
SHEET SIZE(mm)	306x306
WEIGHT (kg)/BOX	23
SHEET/BOX	22
SQUARE/BOX	2.06
CHIP SIZE(mm)	6

● The size is shown as a standard size. Please note that there are dimensional errors depending on the batch, so please pay attention when distributing and cutting the tiles.  
(サイズは標準サイズで表示しておりますが、パッチによっては寸法誤差がありますので、タイルの配布やカットにはご注意ください。)






## Water Ripple Series

Mosaics play a large part of swimming pool tiles, as they are more various and flexible on sizes and colors. free mix and combination can present fresh innovations.





Nowadays, more and more swimming pools have become a major feature of the homestay. In order to make the swimming pool feel closer to the sea, the Double Gull Magic Water Ripple Mosaic was born.




Y48V02  
Chip Size (mm) :48x48  
Sheet Size(mm) :306x306



Shuangou has cooperated with many designers to bring unique swimming pool brick products to create a different homestay swimming pool for you.






Y48601  
 Chip Size (mm) :48x48  
 Sheet Size(mm) :306x306





ShuangOu has a unique and charming colorful water ripple mosaic, which makes a simple homestay not simple. The large green in front of you completely relaxes and breathes the sweet air.

Y48601  
 Chip Size (mm) :48x48  
 Sheet Size(mm) :306x306



Shuangou has cooperated with many designers to bring unique swimming pool brick products to create a different homestay swimming pool for you.






Y48601  
Chip Size (mm) :48x48  
Sheet Size(mm) :306x306




Y48601  
Chip Size (mm) :48x48  
Sheet Size(mm) :306x306






Y48603  
 Chip Size (mm) :48x48  
 Sheet Size(mm) :306x306

A high-value swimming pool has almost become the standard configuration of the hotel, ShuangOu can satisfy all your illusions about the swimming pool.








Y48602  
 Chip Size (mm) :48x48  
 Sheet Size(mm) :306x306

Nowadays, more and more swimming pools have become a major feature of the homestay. In order to make the swimming pool feel closer to the sea, the Double Gull Magic Water Ripple Mosaic was born.



The green plants are reflected in the sparkling clear pool water, and the light and shadow give people infinite reverie. The shuangou make the original monotonous swimming pool more layered and three-dimensional. ming pool more layered and three-dimensional.


Y25V02  
 Chip Size (mm) :25x25  
 Sheet Size(mm) :302x302








Y25601  
 Chip Size (mm) :25x25  
 Sheet Size(mm) :302x302



YH01973  
 Chip Size (mm) :58x58+23x23  
 Sheet Size(mm) :310x310

Y25601  
 Chip Size (mm) :25x25  
 Sheet Size(mm) :302x302



Y25601  
 Chip Size (mm) :25x25  
 Sheet Size(mm) :302x302



YH01973  
 Chip Size (mm) :58x58+23x23  
 Sheet Size(mm) :310x310







Y25603  
Chip Size (mm) :25x25  
Sheet Size(mm) :302x302

## Water Ripple Mosaic Tile

### 水波紋モザイクシリーズ



**Attention about the product** ● This product is a ceramic product, once it breaks, there is a danger of injury to the body. So please pay full attention when handling. ● 本製品はセラミック製品ですので、一度破損すると人体に危害を及ぼす恐れがあります。取り扱いには十分ご注意ください。●メンテナンス中は、強酸または強アルカリ性洗剤を使用しないでください。

**Attention on tiling** ● If the product needs to be cut during the paving process, please use a tile cutter or glass cutter for the cut surface, and polish the cut surface with a grindstone to avoid injury. ● 舗装中に切断が必要な場合は、切断面にタイルカッターまたはガラスカッターを使用し、けがをしないように砥石で切断面を研磨してください。● Please do not use a sander to cut, because it may cause accidents or product damage, and is very dangerous.

**For products with high anti-slip properties** ● because the texture of the surface of the object can easily jam the fibers of the cleaning product, please do not use cleaning tools such as mops. ● 対象物の表面の質感が洗剤の繊維を詰まらせやすいため、モップなどの洗剤は使用しないでください。




25Water Wave Porcelain Mosaic Tile  
25水の波モザイクタイル




ITEM: Y25601  
SHEET SIZE: 302x302mm  
SURFACE: GLOSSY



ITEM: Y25603  
SHEET SIZE: 302x302mm  
SURFACE: GLOSSY



ITEM: Y48601  
SHEET SIZE: 306x306mm  
SURFACE: GLOSSY




ITEM: Y48602  
SHEET SIZE: 306x306mm  
SURFACE: GLOSSY




ITEM: Y25602  
SHEET SIZE: 302x302mm  
SURFACE: GLOSSY



ITEM: Y25V02  
SHEET SIZE: 302x302mm  
SURFACE: GLOSSY




ITEM: Y48603  
SHEET SIZE: 306x306mm  
SURFACE: GLOSSY




ITEM: Y48V02  
SHEET SIZE: 306x306mm  
SURFACE: GLOSSY

25Water Wave Porcelain Mosaic Tile



48 Water Wave Porcelain Mosaic Tile



PRODUCE	25Water Wave Porcelain Mosaic Tile	48 Water Wave Porcelain Mosaic Tile
SHEET SIZE(mm)	302x302	306x306
WEIGHT (kg)/BOX	19	23
SHEET/BOX	22	22
SQUARE/BOX	2	2.06
CHIP SIZE(mm)	5	6

● The size is shown as a standard size. Please note that there are dimensional errors depending on the batch, so please pay attention when distributing and cutting the tiles.  
(サイズは標準サイズで表示しておりますが、バッチによっては寸法誤差がありますので、タイルの配布やカットにはご注意ください。)





Bali Green and  
Hot Spring Stone Mosaic Tile

Double gull tropical style swimming pool series,  
Take you into the lush tropical forests of Southeast Asia,  
To feel the most peaceful and tranquil touch of green nature.



Shuangou has cooperated with many designers to bring unique swimming pool brick products to create a different homestay swimming pool for you.




ShuangOu Pool Tiles | A Distinctive Classic



IK9767  
Chip Size (mm) :97x97  
Sheet Size(mm) :300x300







IK9767  
 Chip Size (mm) :97x97  
 Sheet Size(mm) :300x300





IK9756  
 Chip Size (mm) :97x97  
 Sheet Size(mm) :300x300




break the conventional design,  
 At first glance, you will be deeply attracted by your perspective.  
 Double gulls make the original monotonous swimming pool more layered and three-dimensional.  
 It can be combined with the personalized characteristics of the homestay.







IK4867  
Chip Size (mm) :48x48  
Sheet Size(mm) :306x306



A high-value swimming pool has almost become the standard configuration of the hotel, ShuangOu can satisfy all your illusions about the swimming pool.

## Bali Green and Hot Spring Stone Mosaic Tile

バリグリーン温泉石シリーズ

Made in CHINA



Precautions for the product ●Please note that it is slippery on wet ground.  
製品に関する注意事項 ●濡れた地面では滑りやすいのでご注意ください。

Attention on tiling ●If the product needs to be cut during the paving process, please use a tile cutter or glass cutter for the cut surface, and polish the cut surface with a grindstone to avoid injury. ●Please do not use a sander to cut, because it may cause accidents or product damage, and is very dangerous.  
工事上の注意について ●舗装中に切断が必要な場合は、切断面にタイルカッターまたはガラスカッターを使用し、けがをしないように砥石で切断面を研磨してください。●事故や製品の破損の原因となり、非常に危険ですので、サンダーを使用して切断しないでください。

Regarding customized products ●we will produce after ordering, so please check the delivery date. We support mixed patterns, and the price will vary according to the number and proportion of mixed colors, please pay attention.  
カスタマイズモデルについて ●カスタマイズ商品ご注文後にお買い物させていただきますので、お届け日をご確認ください。固定写真以外の混合パターンにも対応しており、混合色の数や比率によって価格が異なりますのでご注意ください。



97 Bali Green Mosaic Tile  
97 バリの緑のモザイクタイル




ITEM: IK9767  
SHEET SIZE: 300x300mm  
SURFACE: MATT

97 Mountain Stone Mosaic Tile  
97 山の石モザイク




ITEM: IK9756  
SHEET SIZE: 300x300mm  
SURFACE: MATT

48 Bali Green Mosaic Tile  
48 バリの緑のモザイクタイル






ITEM: IK4867  
SHEET SIZE: 306x306mm  
SURFACE: MATT

25 Bali Green Mosaic Tile  
25 バリの緑のモザイクタイル



ITEM: IK2567  
SHEET SIZE: 302x302mm  
SURFACE: MATT

97 Bali Green / Mountain Stone Mosaic Tile      48 Bali Green Mosaic Tile      25 Bali Green Mosaic Tile



PRODUCE	97 Bali Green / Mountain Stone Mosaic Tile	48 Bali Green Mosaic Tile	25 Bali Green Mosaic Tile
SHEET SIZE(mm)	300x300	306x306	302x302
WEIGHT (kg)/BOX	23.5	23	19
SHEET/BOX	22	22	22
SQUARE/BOX	2	2.06	2
CHIP SIZE(mm)	6	6	5

● The size is shown as a standard size. Please note that there are dimensional errors depending on the batch, so please pay attention when distributing and cutting the tiles.  
(サイズは標準サイズで表示しておりますが、バッチによっては寸法誤差がありますので、タイルの配布やカットにはご注意ください。)



Deep Emerald Green  
And Moissanite

Dark colors represent noble feelings. If you agree, then you should choose the green marble porcelain mosaics. Special, noble, and natural.






A high-value swimming pool has almost become the standard configuration of the hotel, ShuangOu can satisfy all your illusions about the swimming pool.




The material in the pool caters to the surrounding environment and adopts the deep emerald green mosaic of the shaungou, which makes the whole swimming pool and the surrounding natural environment seamless, creating a strong leisure and holiday atmosphere.



IK48973  
Chip Size (mm) :48x48  
Sheet Size(mm) :306x306



IK48973  
Chip Size (mm) :48x48  
Sheet Size(mm) :306x306






Shuangou has cooperated with many designers to bring unique swimming pool brick products to create a different homestay swimming pool for you.

双鸥与众多设计师合作，带来与众不同的泳池砖产品，为您打造不一样的民宿游泳池。



IK48973  
Chip Size (mm) :48×48  
Sheet Size(mm) :306×306



IK97975  
Chip Size (mm) :97×97  
Sheet Size(mm) :300×300



ShuangOu tropical swimming pool series,  
Take you into the lush tropical forests of  
Southeast Asia, To feel the most peaceful  
and tranquil green in nature.











IK97975  
 Chip Size (mm) :97×97  
 Sheet Size(mm) :300×300

ShuangOu tropical swimming pool series,  
 Take you into the lush tropical forests of  
 Southeast Asia, To feel the most peaceful  
 and tranquil green in nature.



IK97975  
 Chip Size (mm) :97×97  
 Sheet Size(mm) :300×300





IK97975  
Chip Size (mm) :97x97  
Sheet Size(mm) :300x300

## Dark Verdant Green and moissanite series

ディープエメラルドグリーンとモアッサナイトシリーズ

Made in CHINA



**Precautions for the product**  
製品に関する注意事項

- Please note that it is slippery on wet ground.
- 濡れた地面では滑りやすいのでご注意ください。

**Attention on tiling**  
工事上の注意について


- If the product needs to be cut during the paving process, please use a tile cutter or glass cutter for the cut surface, and polish the cut surface with a grindstone to avoid injury.
- 舗装中に切断が必要な場合は、切断面にタイルカッターまたはガラスカッターを使用し、けがをしないように砥石で切断面を研磨してください。
- Please do not use a sander to cut, because it may cause accidents or product damage, and is very dangerous.
- 事故や製品の破損の原因となり、非常に危険ですので、サンダーを使用して切断しないでください。

**Regarding customized products**  
カスタマイズモデルについて

- we will produce after ordering, so please check the delivery date. We support mixed patterns, and the price will vary according to the number and proportion of mixed colors, please pay attention.
- カスタマイズ商品をご注文後にお買い物をさせていただきますので、お届け日をご確認ください。固定写真以外の混合パターンにも対応しており、混合色の数や比率によって価格が異なりますのでご注意ください。




48Dark Verdant Green  
ディープエメラルドグリーン




ITEM:IK48973  
SHEET SIZE:306x306mm  
SURFACE:GLOSSY

25Dark Verdant Green  
25 ディープエメラルドグリーン




ITEM:IK25973  
SHEET SIZE:302x302mm  
SURFACE:GLOSSY

Hexagon Dark Verdant Green  
六角形ディープエメラルドグリーン




ITEM:HX52973  
SHEET SIZE:325x282mm  
SURFACE:GLOSSY

Octagon Dark Verdant Green  
八角形ディープエメラルドグリーン




ITEM:YH01973  
SHEET SIZE:310x310mm  
SURFACE:GLOSSY




ITEM:YH08973  
SHEET SIZE:310x310mm  
SURFACE:GLOSSY

97Moissanite Mosaic Tile  
97 モアッサナイトシリーズ




ITEM: IK97975  
SHEET SIZE: 300x300mm  
SURFACE: GLOSSY

48Moissanite Mosaic Tile  
48 モアッサナイトシリーズ




ITEM: IK48975  
SHEET SIZE: 306x306mm  
SURFACE: GLOSSY


97Dark Verdant Green / Moissanite Mosaic Tile




48Dark Verdant Green / Moissanite Mosaic Tile




25Dark Verdant Green Mosaic Tile



Hexagon Dark Verdant Green Mosaic Tile




Octagon Dark Verdant Green Mosaic Tile



PRODUCE	48Dark Verdant Green /Moissanite Mosaic Tile	25Dark Verdant Green Mosaic Tile	Hexagon Dark Verdant Green Mosaic Tile	Octagon Dark Verdant Green Mosaic Tile	97Moissanite Mosaic Tile
SHEET SIZE(mm)	306x306	302x302	282x325	310x310	300x300
WEIGHT (kg)/BOX	23	19	23	23	23.5
SHEET/BOX	22	22	22	22	22
SQUARE/BOX	2.06	2	2.06	2	2
CHIP SIZE(mm)	6	5	6	6	6

● The size is shown as a standard size. Please note that there are dimensional errors depending on the batch, so please pay attention when distributing and cutting the tiles.  
(サイズは標準サイズで表示しておりますが、パッチによっては寸法誤差がありますので、タイルの配布やカットにはご注意ください。)





### Rough Grain Mosaic

The new Italian design granulated surface mosaic reflects unique light spots under the sun, and the surface has a bumpy texture.





AP23716  
Chip Size (mm) :23x23  
Sheet Size(mm) :302x302



AP23716  
Chip Size (mm) :23x23  
Sheet Size(mm) :302x302





Double Gull Italian granulated noodle series, pure and soft texture coupled with elegant and natural veins, is amazing, and has been given sacred and pure meaning by people.



break the conventional design,  
At first glance, you will be deeply attracted by your perspective.  
Double gulls make the original monotonous swimming pool more layered and three-dimensional.  
It can be combined with the personalized characteristics of the homestay.



AP23R06  
Chip Size(mm) : 23x23  
Sheet Size(mm) : 302x302



AP23R04  
Chip Size(mm) : 23x23  
Sheet Size(mm) : 302x302








AP23R03  
 Chip Size(mm) : 23x23  
 Sheet Size(mm) : 302x302

Shuangou ceramic Mosaic redefines the color of the swimming pool with a variety of colors and expressions.



AP23B01-1  
 Chip Size(mm) : 23x23  
 Sheet Size(mm) : 302x302

ShuangOuPoolTiles | A Distinctive Classic







Shuang Ou Pool Tiles  
/A Distinctive Classic




AP23R02  
Chip Size (mm) :23x23  
Sheet Size(mm) :302x302



AP23R02  
Chip Size(mm) : 23x23  
Sheet Size(mm) :302x302







AP48B01-1  
Chip Size(mm) : 48x48  
Sheet Size(mm) :306x306



## Rough Grain Mosaic Tile

### ラフグレインモザイクシリーズ




Precautions for the product ●Please note that it is slippery on wet ground.  
製品に関する注意事項 ●濡れた地面では滑りやすいのでご注意ください。

Attention on tiling ●If the product needs to be cut during the paving process, please use a tile cutter or glass cutter for the cut surface, and polish the cut surface with a grindstone to avoid injury. ●Please do not use a sander to cut, because it may cause accidents or product damage, and is very dangerous.  
工事上の注意について ●舗装中に切断が必要な場合は、切断面にタイルカッターまたはガラスカッターを使用し、けがをしないように砥石で切断面を研磨してください。 ●事故や製品の破損の原因となり、非常に危険ですので、サンダーを使用して切断しないでください。


Regarding customized products ●we will produce after ordering, so please check the delivery date. We support mixed patterns, and the price will vary according to the number and proportion of mixed colors, please pay attention.  
カスタマイズモデルについて ●カスタマイズ商品ご注文後にお買い物をさせていただきますので、お届け日をご確認ください。固定写真以外の混合パターンにも対応しており、混合色の数や比率によって価格が異なりますのでご注意ください。




### Rough Grain Mosaic ラフグレインプールモザイク




ITEM:AP23B01-1  
SHEET SIZE:302x302mm  
SURFACE:GRAIN




ITEM:AP23R02  
SHEET SIZE:302x302mm  
SURFACE:GRAIN




ITEM:AP23R03  
SHEET SIZE:302x302mm  
SURFACE:GRAIN




ITEM:AP23R04  
SHEET SIZE:302x302mm  
SURFACE:GRAIN



ITEM:AP23R05  
SHEET SIZE:302x302mm  
SURFACE:GRAIN




ITEM:AP23R06  
SHEET SIZE:302x302mm  
SURFACE:GRAIN



ITEM:AP23716  
SHEET SIZE:302x302mm  
SURFACE:GRAIN






ITEM:AP48B01-1  
SHEET SIZE:306x306mm  
SURFACE:GRAIN



ITEM:YH2B01-1  
SHEET SIZE:306x306mm  
SURFACE:GRAIN

### 23 Rough Grain Mosaic      48 Rough Grain Mosaic      23+48 Rough Grain Mosaic



PRODUCE	23 Rough Grain Mosaic	48 Rough Grain Mosaic	23+48 Rough Grain Mosaic
SHEET SIZE(mm)	302x302	306x306	306x306
WEIGHT (kg)/BOX	22	23	23
SHEET/BOX	22	22	22
SQUARE/BOX	2	2.06	2.06
CHIP SIZE(mm)	6	6	6

● The size is shown as a standard size. Please note that there are dimensional errors depending on the batch, so please pay attention when distributing and cutting the tiles.  
(サイズは標準サイズで表示しておりますが、パッチによっては寸法誤差がありますので、タイルの配布やカットにはご注意ください。)





## Moroccan Style


The Moroccan style's use of color is known as "God's overturned palette". People draw inspiration from nature, and colors such as rocks, deserts, sky, sea, water, etc. are used to the fullest.



Shuangou has cooperates with many designers to bring a unique Moroccan style series to create a different homestay swimming pool for you.



JB48A03  
Chip Size(mm) : 48x48  
Sheet Size(mm) : 306x306



FB48A02  
Chip Size(mm) : 48x48  
Sheet Size(mm) : 306x306

Simple but not simple homestay, the large green areas in front of you make people relax completely and breathe the sweet air to their heart's content.






JB4824  
Chip Size (mm) :48x48  
Sheet Size(mm) :306x306



JB4824  
Chip Size (mm) :48x48  
Sheet Size(mm) :306x306





break the conventional design,  
 At first glance, you will be deeply attracted by your perspective.  
 Double gulls make the original monotonous swimming pool more layered and three-dimensional.  
 It can be combined with the personalized characteristics of the homestay.




JB48R02  
 Chip Size (mm) :48×48  
 Sheet Size(mm) :306×306




Y60J77  
 Sheet Size(mm) : 188x58



FB48A02  
 Chip Size(mm) : 48x48  
 Sheet Size(mm) : 306x306







FB48A02  
Chip Size (mm) :48x48  
Sheet Size(mm) :306x306



## Moroccan Style Swimming Pool Tiles

モロッコスタイル

Made in CHINA



Precautions for the product ●Please note that it is slippery on wet ground.  
製品に関する注意事項 ●濡れた地面では滑りやすいのでご注意ください。

Attention on tiling ●If the product needs to be cut during the paving process, please use a tile cutter or glass cutter for the cut surface, and polish the cut surface with a grindstone to avoid injury. ●Please do not use a sander to cut, because it may cause accidents or product damage, and is very dangerous.  
工事上の注意について ●舗装中に切断が必要な場合は、切断面にタイルカッターまたはガラスカッターを使用し、けがをしないように砥石で切断面を研磨してください。  
●事故や製品の破損の原因となり、非常に危険ですので、サンダーを使用して切断しないでください。


Regarding customized products ●we will produce after ordering, so please check the delivery date. We support mixed patterns, and the price will vary according to the number and proportion of mixed colors, please pay attention.  
カスタマイズモデルについて ●カスタマイズ商品ご注文後にお買い物をさせていただきますので、お届け日をご確認ください。固定写真以外の混合パターンにも対応しており、混合色の数や比率によって価格が異なりますのでご注意ください。




48 Ice Crack Mosaic  
48 アイスクラックモザイク




ITEM: JB48R01  
SHEET SIZE:306x306mm  
SURFACE:GLOSSY



ITEM: FB48A02  
SHEET SIZE:306x306mm  
SURFACE:GLOSSY



ITEM: JB48A03  
SHEET SIZE:306x306mm  
SURFACE:GLOSSY



ITEM: JB4824  
SHEET SIZE:306x306mm  
SURFACE:GLOSSY



ITEM: JB48R02  
SHEET SIZE:306x306mm  
SURFACE:GLOSSY



Handmade Brick  
手作りレンガ



ITEM: Y60J77(Multi-Faceted)  
SHEET SIZE:188x58mm  
SURFACE:GLOSSY

48 Ice Crack Mosaic




Handmade Brick



PRODUCE	48 Ice Crack Mosaic	Handmade Brick
SHEET SIZE(mm)	306x306	188x58
WEIGHT (kg)/BOX	23	22
SHEET/BOX	22	22
SQUARE/BOX	2.06	2
CHIP SIZE(mm)	6	6


● The size is shown as a standard size. Please note that there are dimensional errors depending on the batch, so please pay attention when distributing and cutting the tiles.  
(サイズは標準サイズで表示しておりますが、バッチによっては寸法誤差がありますので、タイルの配布やカットにはご注意ください。)






## Kiln Series

The color of kiln-glazed mosaics gradually changes from the inside to the outside, from lighter to darker, and changes naturally. Compared with pure-color glazed mosaics, kiln-glazed mosaics seem to increase in many connotations and are more attractive.









Shuangou ceramic Mosaic redefines the color of the swimming pool with a variety of colors and expressions.

Y48V04  
 Chip Size (mm) :48x48  
 Sheet Size(mm) :306x306







## Kiln Mosaic Tile

### 窯変更モザイクシリーズ




Precautions for the product ●Please note that it is slippery on wet ground.  
製品に関する注意事項 ●濡れた地面では滑りやすいのでご注意ください。

Attention on tiling ●If the product needs to be cut during the paving process, please use a tile cutter or glass cutter for the cut surface, and polish the cut surface with a grindstone to avoid injury. ●Please do not use a sander to cut, because it may cause accidents or product damage, and is very dangerous.  
工事上の注意について ●舗装中に切断が必要な場合は、切断面にタイルカッターまたはガラスカッターを使用し、けがをしないように砥石で切断面を研磨してください。●サンダーを使用して切断しないでください。事故や製品の破損の原因となり、非常に危険ですので、サンダーを使用して切断しないでください。


Regarding customized products ●we will produce after ordering, so please check the delivery date. We support mixed patterns, and the price will vary according to the number and proportion of mixed colors, please pay attention.  
カスタマイズモデルについて ●カスタマイズ商品をご注文後にお買い物させていただきますので、お届け日をご確認ください。固定写真以外の混合パターンにも対応しており、混合色の数や比率によって価格が異なりますのでご注意ください。




### 48 Kiln Changed Mosaic 48 窯がモザイクを変えた




ITEM:Y48V03  
SHEET SIZE:306x306mm  
SURFACE:GLOSSY




ITEM:Y48V04  
SHEET SIZE:306x306mm  
SURFACE:GLOSSY




ITEM:Y48B05  
SHEET SIZE:306x306mm  
SURFACE:GLOSSY



ITEM:Y48B07  
SHEET SIZE:306x306mm  
SURFACE:MATT




ITEM:Y4861  
SHEET SIZE:306x306mm  
SURFACE:MATT



ITEM:Y4862  
SHEET SIZE:306x306mm  
SURFACE:MATT

### 48 Kiln Changed Mosaic



Y48B07  
Chip Size (mm):48x48  
Sheet Size(mm):306x306

PRODUCE	48 Kiln Changed Mosaic	25 Tiny Grain
SHEET SIZE(mm)	306x306	302x302
WEIGHT (kg)/BOX	23	22
SHEET/BOX	22	22
SQUARE/BOX	2.06	2
CHIP SIZE(mm)	6	6

● The size is shown as a standard size. Please note that there are dimensional errors depending on the batch, so please pay attention when distributing and cutting the tiles.  
(サイズは標準サイズで表示しておりますが、バッチによっては寸法誤差がありますので、タイルの配布やカットにはご注意ください。)



# Swimming Pools Tiles

## プールモザイクタイルシリーズ




**Precautions for the product** ●Please note that it is slippery on wet ground.  
**製品に関する注意事項** ●濡れた地面では滑りやすいのでご注意ください。

**Attention on tiling** ●If the product needs to be cut during the paving process, please use a tile cutter or glass cutter for the cut surface, and polish the cut surface with a grindstone to avoid injury. ●Please do not use a sander to cut, because it may cause accidents or product damage, and is very dangerous.  
**工事上の注意について** ●舗装中に切断が必要な場合は、切断面にタイルカッターまたはガラスカッターを使用し、けがをしないように砥石で切断面を研磨してください。●事故や製品の破損の原因となり、非常に危険ですので、サンダーを使用して切断しないでください。


**Regarding customized products** ●We will do the paving after ordering, so please check the delivery date.  
**カスタマイズモデルについて** ●ご注文後に舗装を行いますので、納期をご確認ください。



### 25 Solid Color Porcelain Mosaic Tile



ITEM:Y2504  
SHEET SIZE:302x302mm  
SURFACE:GLOSSY



ITEM:Y2507  
SHEET SIZE:302x302mm  
SURFACE:GLOSSY




ITEM:Y97701  
SHEET SIZE:300x300mm  
SURFACE:GLOSSY




ITEM:Y97702  
SHEET SIZE:300x300mm  
SURFACE:GLOSSY




ITEM:Y97B01  
SHEET SIZE:300x300mm  
SURFACE:GLOSSY




ITEM:Y25B01-2  
SHEET SIZE:302x302mm  
SURFACE:GLOSSY




ITEM:Y25B02  
SHEET SIZE:302x302mm  
SURFACE:GLOSSY




ITEM:Y97707  
SHEET SIZE:300x300mm  
SURFACE:GLOSSY



ITEM:Y97708  
SHEET SIZE:300x300mm  
SURFACE:GLOSSY



ITEM:Y25B01  
SHEET SIZE:302x302mm  
SURFACE:GLOSSY



ITEM:Y25B01-1  
SHEET SIZE:302x302mm  
SURFACE:GLOSSY




ITEM:Y97703  
SHEET SIZE:300x300mm  
SURFACE:GLOSSY



ITEM:Y97704  
SHEET SIZE:300x300mm  
SURFACE:GLOSSY

PRODUCE	25 Solid Color Porcelain Mosaic Tile	97 Solid Color Porcelain Mosaic Tile
SHEET SIZE(mm)	306x306	300x300
WEIGHT (kg)/BOX	23	23.5
SHEET/BOX	22	22
SQUARE/BOX	2.06	2
CHIP SIZE(mm)	6	6

● The size is shown as a standard size. Please note that there are dimensional errors depending on the batch, so please pay attention when distributing and cutting the tiles.  
 (サイズは標準サイズで表示しておりますが、バッチによっては寸法誤差がありますので、タイルの配布やカットにはご注意ください。)



# Swimming Pools Tiles

## プールモザイクタイルシリーズ




**Attention about the product** ●This product is a ceramic product, once it breaks, there is a danger of injury to the body. So please pay full attention when handling. ●本製品はセラミック製品ですので、一度破損すると人体に危害を及ぼす恐れがあります。取り扱いには十分ご注意ください。●メンテナンス中は、強酸または強アルカリ性洗剤を使用しないでください。

**Attention on tiling** ●If the product needs to be cut during the paving process, please use a tile cutter or glass cutter for the cut surface, and polish the cut surface with a grindstone to avoid injury. ●Please do not use a sander to cut, because it may cause accidents or product damage, and is very dangerous.  
**工事上の注意について** ●舗装中に切断が必要な場合は、切断面にタイルカッターまたはガラスカッターを使用し、けがをしないように砥石で切断面を研磨してください。●事故や製品の破損の原因となり、非常に危険ですので、サンダーを使用して切断しないでください。


**It is recommended to use white or light-colored adhesives** ●Please note that please use adhesive on a flat surface to complete and paste. Also, be careful not to leave air on the back of the tiles.  
**白または明るい色の接着剤を使用することをお勧めします** ●完成させて貼り付けるには、平らな面に接着剤を使用してください。また、タイルの裏側に空気を残さないように注意してください。




### 48 solid color porcelain Mosaic Tile




ITEM: Y48701  
SHEET SIZE: 306x306mm  
SURFACE: GLOSSY




ITEM: Y4802  
SHEET SIZE: 306x306mm  
SURFACE: GLOSSY



ITEM: Y4803  
SHEET SIZE: 306x306mm  
SURFACE: GLOSSY




ITEM: Y4804  
SHEET SIZE: 306x306mm  
SURFACE: GLOSSY




ITEM: Y48B01-2  
SHEET SIZE: 306x306mm  
SURFACE: GLOSSY




ITEM: Y4807  
SHEET SIZE: 306x306mm  
SURFACE: GLOSSY




ITEM: Y48708  
SHEET SIZE: 306x306mm  
SURFACE: GLOSSY



ITEM: Y48B01  
SHEET SIZE: 306x306mm  
SURFACE: GLOSSY




ITEM: Y48B01-1  
SHEET SIZE: 306x306mm  
SURFACE: GLOSSY



ITEM: Y48B02  
SHEET SIZE: 306x306mm  
SURFACE: GLOSSY

### 48 solid color porcelain Mosaic Tile














PRODUCE	48 solid color porcelain Mosaic Tile
SHEET SIZE(mm)	306x306
WEIGHT (kg)/BOX	23
SHEET/BOX	22
SQUARE/BOX	2.06
CHIP SIZE(mm)	6

● The size is shown as a standard size. Please note that there are dimensional errors depending on the batch, so please pay attention when distributing and cutting the tiles.  
 (サイズは標準サイズで表示しておりますが、バッチによっては寸法誤差がありますので、タイルの配布やカットにはご注意ください。)



# Technical Info

## 技術的な情報

性能 Properties	检测方法 Test Method	要求 Requirements	检验结果 Results	判定 Verdicts
 长度和宽度 Length and Width 每块砖的平均尺寸相对于工作尺寸的允许偏差 The deviation,of the average size for each tile (4 sides) from the work size	18010545-2:2018	N<7cm	-0.39%~+0.19%	N/A
			-0.2mm~+0.1 mm	N/A
 厚度 Thickness 每块砖厚度的平均值相对于工作尺寸的最大允许偏差 The deviation of the average thickness of each tile from the work size thickness	18010545-2:2018	N<7cm	-1.1%~+0.4%	N/A
			-0.1mm~0	N/A
 吸水率 Water absorption 质量分数 Percent mass fraction	ISO 10545-3:2018	Ev≤0.5%	0.15%	P
		单个值不大于0.6% Individual maximum 0.6%	0.05% 0.1 2%	P
 断裂模数(N/mm <sup>2</sup> ) Modulus of rupture, in N/mm <sup>2</sup> 不适用于破坏强度≥3000N的陶瓷砖 Not applicable to tiles with breaking strength≥3000N	ISO 10545-4:2019	平均值≥35 Minimum 35	50.1-67.5	P
		单个值≥32 Individual maximum 32	50.1	P
 耐磨性 Abrasion resistance 用于地面的有釉砖的表面耐磨性 Resistance to surface abrasion of glazed tiles intended for use on floors	ISO 10545-7:1996	报告耐磨级别 Report abrasion class	2级 Class 2	—
		报告耐磨转数 Report cycles passed	600	—
 表面质量 Surface quality	18010545-2:2018	至少有95%的砖其主要区域无明显缺陷 A minimum 95% of the tiles shall be free from visible defec nspected vertically at 1.0m.	100%	P
 线性热膨胀系数: 室温 100C Coefficient of linear thermal expansion: from ambient temperature to 100°C	ISO 10545-8:2014	报告检验结果 Test method available	—	N/A
 抗热震性 Thermal shock resistance	ISO 10545-9:2013	报告检验结果 Test method available	样品经试验, 无炸裂或剥落 TFully resistance	—
 抗釉裂性: 有釉砖 Crazing resistance:glazed tiles	ISO 10545-11:1994	应通过此项测试 Required	样品经试验, 无裂纹或剥落 TFully resistance	p
 抗冻性 Frost resistance	ISO 10545-12:1995/ Corl:1997	应通过此项测试 Required	所有样品, 无裂纹或破损 TFully resistance	p
 莫氏硬度 Scratch hardness of surface according to Mohs	EN 15771:2010	报告检验结果 Test method available	6	—
 破坏强度/N Breaking strength, in N	ISO 10545-4:2019	≥700	943	p

## Guideline for Mosaic Tile Paving

### 1.SKIMMING

This is a step that serves to render the substrate selected for tiling perfectly smooth, uniform and white (a substrate showing differences in color will spoil the appearance of the finished mosaic).

### 2.STARTING LINES

Draw lines on the surface of the substrate to aid correct positioning of the sheets. Lay three sheets out the floor side by side,so that the gap between the sheets is the same as the gap between the single tessera, and measure the overall width. Transfer this measurement both horizontally and vertically to the surface being covered and using a straightedge and a spirit level, mark out a grid, the area will now be divided into a number of squares, each corresponding to nine sheets of mosaic.

### 3.PREPARING THE ADHESIVE

Prepare the adhesive, and spread over an area no larger than will be occupied by the first nine sheets, using the trowel. First apply a thick coat with the smooth edge of the tool, drawing the teeth across evenly and “combing” the adhesive to produce a uniformly ridged bed. The sheets can now be positioned.

### 4.LAYING AND FIXING

The sheets are back-mounted to a mesh that should be directly applied to the bed of adhesive. On walls, the thicker strands of mesh should be positioned vertically. Please note: the gap separating adjacent sheets must be the same as the gap between single tessera.

### 5.A FIRM BOND

With the sheets in place, tap the tessera home with a float so that the mesh beds firmly into the adhesive.

### 6.A PERFECT END RESULT

With all the sheets laid or fixed, and before the adhesive begins to set, the distance between tessera can be adjusted to ensure that all gaps are of uniform width. This is done by cutting through the mesh along the gap with a knife and edging the adjoining tessera marginally closer together or farther apart with the aid of a trowel. This is a step of the mosaic tiling procedure that calls for patience, but one that also adds considerable value to the finished job.

### 7.GROUTING

Make sure to use all of the grout. Using the small trowel, scoop the grout, a little at a time, Onto the float and begin applying to the mosaic. Move the tool diagonally across the tessera,first from the bottom up and then squeegee downwards in the opposite direction, making certain that all of the joints are completely filled and that no excess remains.

### 8.CLEANING

Before the grout hardens, begins cleaning off the surface. prepare two buckets of this solution: immerse the pad in the first,and without winging, swab the surface of the mosaic repeatedly with a circular motion.Next, immerse the sponge in the second bucket and wipe down the surface, removing all residual traces of grout. Finally, wipe down with the sponge, this time using clean water to remove any smears, leaving the mosaic sparklingly clean.