

# 双鸥专业泳池砖指南

## PROFESSIONAL POOL TILES GUIDE

—— 专业泳池砖系统

开启泳池新篇章 >>

Open a new chapter in the pool

Foshan ShuangOu Ceramics CO.,LTD

Add: ShuangOu Ceramics, Dongcun district, Nanzhuang Avenue,Chancheng District, China

Domestic Business Dept.,Tel: 86-0757-85394100

Overseas Dept., Tel: 86-0757-85393500


Email: info@shuangoutiles.com


Quality Supervision Email: admin@shuangoutiles.com

www.shuangoutiles.com



Official Website





# VISION LIFE

视觉·生活 LIFE

我们引导着“视觉、生活”的全新体验  
诠释着泳池砖独特的瓷砖美学

—



## WHY CHOOSE SHUANGOU?

SHUANGOU MEANS THE SEAGULLS IN THE SEA, WHICH FLY FAST AND OBSERVE WIDELY.

### ShuangOu's Formula $E=MC^2$

This formula not only presents the biggest secret of the world, but also gives you ShuangOu's secret.

#### E:Efficiency

Your inquires, demands, questions, doubts will be fast feedbacked here. We carefully listen to you and act efficiently and precisely. Our efficiency covers: communication, order-process, after-sales services, market investment and so on.

#### M:Management

ShuangOu is not only a factory, but also a manage company who communicate with clients and manage the whole order procedures. We are specialized in swimming pool tiles& mosaic area, and we offer a large scale of products and keep expanding our collection to meet more demands. We have a professional team to manager from the inquiry to production quality control and after-sales services. We treat each others carefully and because we know that only win-win situation is our foundation of long-term relationship.

#### C:Capacity

Production capacity:

Owing two factories, ShuangOu supports you with strong and stable production capacity.

12000 sqm per day for producing ceramic mosaics and swimming pool tiles. Fast delivery, stable products, strong power to try new products. 20,000 sqm warehouse for stocking regular productions. Small orders are possible and no MOQ for regular items.

#### Communication capacity:

We have sales manager who can speak fluent English, Japanese, Cantonese, Mandarin.

We listen carefully to your ideas, and help you complete them with satisfaction.

#### C:Customer-oriented

ShuangOu always bear customer's request in mind. Even some tiny details are valued here. We are your reliable partner in China, we are also your eyes here.

We fully understand the importance of consideration in customer's position. So, we will always put ourselves in customer's shoes, and think over and over again to do the best.

We will fulfill customer's demands, even a call, an email, we will treat them very carefully and do our best to let our customers feel that they are our VIP here.



## 为什么选择双鸥？

我们相信双鸥的企业文化将成您选择双鸥的原因，而这也是双鸥获得成功的秘诀。

### 双鸥方程式： $E=MC^2$

爱因斯坦用这个方式来揭示了世界能量的奥秘而双鸥用它来展示双鸥的企业文化。

#### E:Efficient 效率

我们会第一时间快速的处理您的询盘，需求，问题还有疑问。我们愿意仔细聆听并做出快速的反应。我们的效率体现在了，沟通，订单处理，售后服务，市场调查等诸方面。

#### M:Managemnt 管理

双鸥不仅仅是一个工厂，更是一个管理型企业，处理客户的沟通以及整个订单的跟进。

我们专业致力于泳池砖和马赛克领域，我们提供了一整套的泳池砖款式，同时还保持了开发更多新产品的积极性来适应市场的需求。我们拥有一支专业的团队来负责跟进订单，质量控制和服务。

客户的每个订单在我们这里都是一视同仁。因为我们深知双赢是我们长期合作的基石，只有负责好了每一个订单。才能积累更多的能量服务更多更广的客户群体。

#### C:Capacity 能力

生产能力：

拥有两个工厂的双鸥可以为您提供稳定有力的生产保证。

双鸥拥有日产 12000 平方米的马赛克和泳池砖生产能力，20000 方的仓库囤积了常规产品，让小订单可以顺利完成，也就不存在了最小起订量的问题。

更重要的是，客户可以在双鸥一站式购买。

从用途上说，双鸥产品可以用于奥林匹克泳池，酒店泳池，别墅泳池，学校泳池，SPA，厨房，浴室等等。

从材质上说，双鸥提供了标准泳池砖，陶瓷马赛克，玻璃马赛克等等。

从颜色上说，蓝色，黑色，白色，绿色，棕色等等，众多的颜色满足不同的需求。

从泳池来说，双鸥有泳池砖，抓手砖，阴阳角，防滑砖等等。

沟通能力：

双鸥的专业团队由众多的多语精英构成，擅长英语，日语，粤语，普通话等等。

我们愿意通过仔细聆听，帮助您满足您的想法。

#### C:Customer-oriented 以客户为导向

双鸥一直以客户需求为己任。微小的细节也铭记在心。我们愿意做客户的小伙伴，与客户共进退，做客户的眼睛，为客户做好一切。我们充分明白换位的重要性，所以我们会保持在客户的角度看问题，以此来尽力做到最好。

我们愿意完成客户的需求，甚至是客户的一个电话，一封邮件，我们多会认真对待，我们尽最大的努力让客户感觉到双鸥是 VP 待遇。





# 目录 CONTENT

|             |              |
|-------------|--------------|
| <b>品牌简介</b> | <b>01-04</b> |
|-------------|--------------|

|               |           |
|---------------|-----------|
| <b>双鸥编码系统</b> | <b>05</b> |
|---------------|-----------|

|              |              |
|--------------|--------------|
| <b>标准泳池砖</b> | <b>07-14</b> |
|--------------|--------------|

|              |              |
|--------------|--------------|
| <b>泳池配件砖</b> | <b>15-22</b> |
|--------------|--------------|

|          |       |
|----------|-------|
| 抓手砖系列    | 15    |
| 池边防滑砖系列  | 16    |
| L型水槽砖系列  | 17    |
| 阴阳条转角砖系列 | 17-18 |
| 产品效果图    | 19-22 |

|               |              |
|---------------|--------------|
| <b>产品应用节点</b> | <b>22-28</b> |
|---------------|--------------|

|           |       |
|-----------|-------|
| 溢水沟系列     | 23-24 |
| 泳道中心线     | 25-26 |
| 歇脚台及梯级应用  | 27    |
| 出发台增高立面区域 | 28    |

|                |              |
|----------------|--------------|
| <b>泳池周边砖系列</b> | <b>22-28</b> |
|----------------|--------------|

|         |       |
|---------|-------|
| 周边防滑砖系列 | 29-30 |
| 梯级砖系列   | 31-36 |

## COMPANY PROFILE

佛山市双鸥陶瓷有限公司是一家集陶瓷生产，销售和出口为一体的陶瓷企业。经过五十年的积累，双鸥已经从一个小家庭生产作坊成长为一家专门生产和销售马赛克，泳池砖的集团公司，我们的市场已经慢慢从国内延伸到海外市场。如今在全国，乃至全世界慢慢出现了双鸥产品的影子。在双鸥团结一心的团队和忠诚的客户支持下，双鸥相信能够通过努力让这个世界更美好。


双鸥旨在成为全世界最好专业的泳池砖和陶瓷马赛克企业，我们与优秀的设计师团队合作，努力设计出与众不同的泳池砖产品。我们希望，每一个铺上双鸥产品的游泳池，都会是最特别的存在。

With the past fifty years experience, ShangOu Ceramics has grown from a small family workshop producing mosaic into a company group with production and marketing of ceramic mosaics. We now offer a complete line of the latest and most fashionable designs of swimming pool tiles and ceramic mosaics.

ShuangOu is aiming to be the most professional manufacturer of swimming pool tiles and ceramic mosaics. Nowadays, ShuangOu products are gradually covering more and more places both in China and overseas.

Determining to produce the most unique pool tiles, ShuangOu has been working very hard with best designers globally. We hope every pool adopting ShuangOu's pool tile design will be the most unique existence.





包装表  
Packing list



| 片 / 箱<br>pcs/ctn | 片 / 平方米<br>pcs/ m <sup>2</sup> | 公斤 / 箱<br>kg/ctn |
|------------------|--------------------------------|------------------|
| 32               | 32                             | 18               |

• 包装箱 -- packages for boxes



| 箱 / 托<br>ctn/plt | 片 / 托<br>pcs/plt | 公斤 / 托<br>kg/plt |
|------------------|------------------|------------------|
| 72               | 2304             | 1296             |

• 托盘包装 -- packages for pallets

防滑等级  
Anti-skid rating




赤脚防滑系数等级: C > B > A (数值越大防滑性能更好)  
Barefoot anti-skid coefficient grade: C>B>A (the larger the value, the better the anti-skid performance)




穿鞋防滑系数等级: R13 > R12 > R11 > R10 > R9 (数值越大防滑性能更好)  
Wear shoes anti-skid coefficient grade: R13>R12>R11>R10>R9 (the larger the value, the better the anti-skid performance)

标准泳池专用防滑转身区为 B 级防滑, 池边及池岸为 C 级防滑, 只有达到防滑标准才能保证运动员及游泳人员的安全。泳池专用防滑砖是需要通过检测专用防滑砖的防滑系数等级, 目前中国防滑砖最新标准是 GB/T35153-2017, 湿态静摩擦系数 > 0.6, 湿态阻滑值大于 35, 泳池行业目前最实用的标准是德国标准 DIN51097 赤脚防滑系数分为 A\B\C 三级, C 级最高, 至于户外产品则执行 DIN51130 穿鞋防滑系数, 分为 R9、R10、R11、R12、R13 等, 数值越高, 防滑性越好, 请留意标注。

The special anti-skid turning area of the standard swimming pool is grade B anti-skid, and the edge and bank of the pool are grade C anti-skid. Only when the anti-skid standard is met can the safety of athletes and swimmers be guaranteed. The special anti-skid bricks for swimming pools need to pass the anti-skid coefficient level of the special anti-skid bricks. At present, the latest standard for anti-skid bricks in China is GB/T35153-2017. Wet static friction coefficient > 0.6, wet slip resistance value > 35. At present, the most practical standard in the swimming pool industry is the German standard DIN51097. The barefoot anti-slip coefficient is divided into three levels, A\B\C, with C being the highest. Etc., the higher the value, the better the slip resistance, please pay attention to the label.



欧洲标准泳池砖 - 主砖  
European Standard Swimming Pool - Main Tiles




S001  
244×119×9mm

S002  
244×119×9mm

S003  
244×119×9mm

S004  
244×119×9mm

欧洲标准泳池 - 转身池壁砖  
European Standard Swimming Pool - Turning Pool Wall Tiles




AS001  
244×119×9mm

AS002  
244×119×9mm

AS003  
244×119×9mm

AS004  
244×119×9mm




MS001  
244×119×9mm

MS002  
244×119×9mm

MS003  
244×119×9mm

| Size      | Thickness | Sheet/ctn | Sqm/ctn | Kg/ctn | Ctn/Plt | Plt/20gp |
|-----------|-----------|-----------|---------|--------|---------|----------|
| 119×244mm | 9mm       | 32        | 1       | 18 kg  | 78      | 20       |

标准泳池 - 主砖  
Standard Swimming Pool - Main Tiles



Y1951  
240×115×9mm

Y1335  
240×115×9mm

Y1338  
240×115×9mm

Y1301  
240×115×9mm

Y134  
240×115×9mm



标准泳池 - 转身池壁砖  
Standard Swimming Pool - Turning Pool Wall Tiles



YC051  
240×115×9mm


YC052  
240×115×9mm

YC053  
240×115×9mm

YC054  
240×115×9mm



池内防滑砖  
Anti-skid bricks in the pool



YC031  
240×115×9mm


AS002  
240×115×9mm

AS003  
240×115×9mm

AS004  
240×115×9mm

| Size      | Thickness | Sheet/ctn | Sqm/ctn | Kg/ctn | Ctn/Plt | Plt/20gp |
|-----------|-----------|-----------|---------|--------|---------|----------|
| 115×240mm | 9mm       | 36        | 1       | 18 kg  | 78      | 20       |





Pool Floor: Y1335



Lane Centerline: Y1301

Pool Floor: Y1335  
Lane Centerline: Y1301



Pool Floor: Y1335




Lane Centerline: Y1301

Pool Floor: Y1335  
Lane Centerline: Y1301





Pool Floor: Y1335




Lane Centerline: Y1951



Pool Floor: Y1335



Lane Centerline: Y1301



Pool Floor: Y1951



Lane Centerline: Y1335







Pool Floor: Y1335



Lane Centerline: Y1301

Pool Floor: Y1335  
Lane Centerline: Y1301



Pool Floor: Y1951




Lane Centerline: Y1301


Pool Floor: Y1951  
Lane Centerline: Y1301




抓手砖系列  
Hand brick series



YC3A-1  
115×240/119×244mm




YC3-1  
115×240/119×244mm



YC3AW  
115×240/119×244mm



YC3EW  
115×240/119×244mm



YC3A  
115×240/119×244mm



YC4  
115×240/119×244mm







YC3B  
115×240/119×244mm



Y16  
115×115mm



Y15  
115×115mm



| size                   | Thickness | Sheet/ctn | Sqm/ctn | Kg/ctn  | Ctn/Plt | Plt/20gp |
|------------------------|-----------|-----------|---------|---------|---------|----------|
| 115×240mm<br>119×244mm | 9mm       | 36/32     | 1       | 18.5 kg | 60/72   | 20       |



池边防滑砖系列  
Poolside anti-skid brick series




YC011  
115×240/119×244mm



YC012  
115×240/119×244mm



YC013  
115×240/119×244mm



YC014  
115×240/119×244mm



YC015  
115×240/119×244mm



YC016  
115×240/119×244mm



YC017  
115×240/119×244mm



YC018  
115×240/119×244mm



YC019  
115×240/119×244mm



YC01  
115×240/119×244mm



YC2-1E  
115×240/119×244mm




YC1E  
115×240/119×244mm

| Size                   | Thickness | Sheet/ctn | Sqm/ctn | Kg/ctn  | Ctn/Plt | Plt/20gp |
|------------------------|-----------|-----------|---------|---------|---------|----------|
| 115×240mm<br>119×244mm | 9mm       | 36/32     | 1       | 18.5 kg | 60/72   | 20       |




L型水槽砖系列  
L-shaped sink brick series








阴阳条系列  
Concave joining piece tiles series





转角砖系列  
Corner series












Pool Floor: Y1335  
Hand Brick: YC3-1  
Edge Closure: YC2-1E  
Anti-Slip Tile: YC014



Pool Floor: Y1335




Hand Brick: YC3-1



Edge Closure: YC2-1E



Anti-Slip Tile: YC014




Pool Floor: Y1951



Lane Centerline: Y1301



Hand Brick: YC3-1




Edge Closure: YC2-1E



Anti-Slip Tile: YC014







溢水沟应用  
Overflow Gutter Application



| 名称          | 参考数值 |
|-------------|------|
| 溢水沟盖板宽度 (L) | 350  |
| 溢水沟深度 (H)   | 500  |
| 溢水口宽度 (W)   | 300  |
| 溢水沟底宽度 (W1) | 280  |

备注：表中数据仅供参考，具体根据设计而定。












歇脚台及梯级应用  
Foot Rest And Step Application

出发台增高立面区域  
Elevated façade area of the starting platform



Pool Floor: Y1951




Edge Closure: YC2-1E






244 × 244 防滑砖系列  
244×244 Anti-skid brick series



24401  
244×244×9mm




24402  
244×244×9mm



24403  
244×244×9mm

| size      | Thickness | Sheet/ctn | Sqm/ctn | Kg/ctn | Ctn/Plt | Plt/20gp |
|-----------|-----------|-----------|---------|--------|---------|----------|
| 244×244mm | 9mm       | 16        | 1       | 18 kg  | 78      | 20       |


300 × 300 防滑砖系列  
300×300 Anti-skid brick series



30A01  
300×300×9mm




30A02  
300×300×9mm



30A03  
300×300×9mm

| size      | Thickness | Sheet/ctn | Sqm/ctn | Kg/ctn | Ctn/Plt | Plt/20gp |
|-----------|-----------|-----------|---------|--------|---------|----------|
| 300×300mm | 9mm       | 11        | 1       | 18 kg  | 72      | 20       |







QU2321AR Ivory  
300×1200×20mm



QU2325AR silver  
300×1200×20mm




RF2325AR silver  
300×1200×20mm



RF2326AR grey  
300×1200×20mm





RF2130AR  
300×1200×20mm



TR2136AR  
300×1200×20mm



TR2321AR Ivory  
300×1200×20mm



TR2325AR cream  
300×1200×20mm







BW2323AR bondi  
300×1200×20mm



BW2325AR pymont  
300×1200×20mm



VC016AR sandstone  
300×1200×20mm



OS2321AR bianco  
300×1200×20mm



OS2325AR cenere  
300×1200×20mm



TF036AR dark grey  
300×1200×20mm

